

*Bodet*



*STYLE*

Indoor LED digital clocks

## ULTRA FLAT DESIGN



## LED COLOURS



## TIME SYNCHRONISATION



STYLE 5



### STYLE 5

Fixed display: hour - minute  
 Alternating display:  
 hour, date, week number or  
 temperature



### STYLE 5S

Fixed display:  
 hour - minute - second  
 Alternating display:  
 hour, date, week number or  
 temperature  
 Option timer control unit:  
 counting up or down

## FOR OPERATING THEATRES



### STYLE 5S OP

Fixed display:  
 hour - minute - second -  
 timer display  
 Alternating display:  
 hour, date or week number  
 Flush mounting keypad optional:  
 counting up or down

Display size: 50 mm - Optimal viewing distance: 20 m

STYLE 7



### STYLE 7

Fixed display: hour - minute  
 Alternating display:  
 hour, date, week number or  
 temperature



### STYLE 7D

Fixed display:  
 hour - minute - date  
 Alternating display:  
 day of the week, day number,  
 week number, second,  
 temperature  
 Possibility of alternating  
 2 languages



### STYLE 7E

Fixed display:  
 hour - minute - second  
 (second is displayed on the ellipse)  
 Alternating display:  
 hour, date, week number or  
 temperature

Display size: 70 mm - Optimal viewing distance: 30 m



## COMMON CHARACTERISTICS

- Indoor clocks
- 12 or 24 hours display mode
- Automatic summer/winter time changeover
- Adjustable luminosity: 4 levels
- Power supply: 100-240V or PoE
- Black injected ABS casing
- Programming via 2 capacitive buttons (except on STYLE 10D and 10SD)
- Programmable time period for power saving mode

## ADDITIONAL MODELS

- Recess mounting models: Style 5, Style 5S, Style 7, Style 7D, Style 10
- Waterproof models: Style 7, Style 7D, Style 10

STYLE 10



STYLE 10

Fixed display: hour - minute

Alternating display:

hour, date, hour and temperature or temperature



STYLE 10D

Fixed display: hour - minute - date




STYLE 10S

Fixed display: hour - minute - second

Alternating display:

date, week number or temperature



STYLE 10SD

Fixed display: hour - minute - second - date

Display size: 100 mm - Optimal viewing distance: 40 m

# The Bodet Group

*WE GIVE YOU TIME*



## Campanaire

Bell renovation  
Frontage dials  
Bell electrification




## Software

Time management  
Access control  
HRIS



## Sport

Timing  
Scoreboards  
Video display



## Time

Time distribution  
Display signage  
LED display  
Audio system



1, rue du Général de Gaulle  
49340 Trémentines | FRANCE

Email : [export@bodet-timesport.com](mailto:export@bodet-timesport.com) | Tél. +33 2 41 71 72 33



[www.bodet-time.com](http://www.bodet-time.com)